

ALPHABETICAL INDEX

A

ALGEBRAIC EQUATION 30
 ALTERNATING CURRENT 187
 AMPERES 177
 ANGULAR MEASURE 26, 31
 APPENDIX, TECHNICAL 323
 ARM, PIVOT 61, 67
 ARM, TELESCOPIC 129
 ARMA MECHANISMS 349 ff.
 Cams 356
 Differential 350
 Disk integrator 362
 Divider unit 370
 Electromechanical 364-371
 Follow-up heads 364
 Mechanical 350-363
 Mechanical damper 369
 Resolvers 358, 360
 Torpedo data computer 349

B

BALANCE STAFF AND WHEEL 214
 BALL AND ROLLER INTEGRATOR
 117, 119, 134 ff.
 BALLISTIC CAM
 52, 54, 59, 198, 303, 307, 318
 BARREL CAM 54, 59
 BASIC MATHEMATICS 26 ff.
 Angular measure 26, 31
 Components 30
 Linear measure 26
 Radians 31
 Reciprocal 27
 Right triangle 28
 Solving an equation 30
 Trig functions 28
 Vectors 30
 BASIC MECHANICS 10
 BASIC SETTING INFORMATION 32
 BEARING-MOUNTED SYNCHRO
 286, 297
 BEARINGS 10
 BEVEL GEAR 22
 BEVEL GEAR DIFFERENTIAL 39

BRUSHES 187
 BUZZER, TIME OF FLIGHT 196, 200

C

CAM-TYPE COMPONENT SOLVER 87
 CAMS 46 ff.
 Arma 356
 Ballistic 52, 54, 59, 198, 303, 307, 318
 Barrel type 54, 59
 Cam follower 46, 49, 51, 75, 89, 285
 Computing 46, 57, 98
 Constant lead 46, 47, 59, 93
 Flat type 47, 52
 Heart 287, 293
 In component solvers 87
 In computing multipliers 72
 In network 307, 312, 321
 Intermittent drive 148
 Motor regulator 211, 217
 Oscillating 237
 Purpose and types of 46
 Reciprocal 46, 99
 Run-out of 49
 Secant 46, 73
 Setting procedure 56, 58, 312, 314
 Signal 237
 Square 51, 58
 Synchro receiver 293
 Tangent 50
 Three-dimensional 357
 Trig 50
 CAPACITOR 203, 323, 345
 CIRCULAR SYSTEM 31
 CLAMP 11, 16, 36
 Offset 16
 Use in setting 32, 57, 310, 316, 321
 Vernier 160
 CLUTCH 190, 193
 COARSE AND FINE
 Control 280, 289, 292
 Dials 163, 279
 COILS 180, 188
 COLLET 214

APPLIES TO PAGES 1 TO 372 ONLY

COMMUTATOR 187
 COMPENSATED FOLLOW-UP
 CONTROL 234
 COMPENSATING DIFFERENTIAL 97
 COMPENSATOR 323, 333, 338, 340
 Follow-up 234
 COMPONENT INTEGRATOR 136 ff.
 Setting procedure 142
 COMPONENT SOLVERS 86 ff.
 Arma, resolvers 358
 Cam type 87
 Compensating differential in 97
 Computing cam in 98
 In network 301, 314
 Offset pin 104
 Parallax 99
 Purpose of 86
 Screw type 100
 Setting procedure 108, 112, 314
 Target 96, 305
 works in reverse to vector solver 106
 COMPONENTS 30, 91
 Deflection rate 94, 96
 Mechanism to integrate 136
 Mechanism to solve for 86
 Range rate 94, 96
 COMPUTING CAM 46, 57, 98
 COMPUTING MECHANISMS 37 ff.
 COMPUTING MULTIPLIERS 72
 CONDUCTORS 175
 CONSTANT
 Definition of 27
 Offset 16
 CONSTANT-LEAD CAM 46, 47, 59, 93
 CONTACTS
 Effect of magnetic damper on 334
 Follow-up 221, 236
 Motor regulator 209, 211, 213, 217
 Servo motor 204, 324, 328
 Synchro receiver 283, 288, 292
 CONTROL
 Coarse 280, 292
 Fine 280, 289
 CONTROL TRANSFORMER
 246, 262, 264, 271
 COSECANT 29
 COSINE 28
 COTANGENT 29

COUNTERS 312, 315, 318
 Dial substituted for 34
 Imaginary, for setting 32
 COUPLINGS 10, 11
 Sleeve 11, 14
 CRANKS, HAND 152, 166
 CURRENT 176, 181
 Alternating and direct 187
 Controlling the 178, 179
 Interrupter 196, 200

D

DAMPER
 Magnetic 202, 245, 334
 Mechanical, Arma 369
 DEFLECTION RATE COMPONENT
 94, 96
 DETENTS 161
 DIALS 162 ff., 311, 312, 314
 Dial indicator 34
 Disk 162
 Fine and coarse 163, 279
 Ring 162
 Velocity lag error on 333
 DIFFERENTIAL 38 ff.
 Addition and subtraction in a 42
 Arma 350
 Bevel-gear type 39
 Compensating 97
 Follow-up 220, 224, 338
 Generator 254
 In network 304, 313
 Jewel type 45, 208, 211, 215
 Linear rack and pinion 350
 Linear rack and sector gear 352
 Motor 260
 Purpose of 38
 Spur-gear type 45
 with integrator 126
 with synchro receivers 291
 DIFFERENTIAL SYNCHRO
 Generator 254
 Motor 260
 DIRECT CURRENT 187
 DIRECTOR, DUMMY 261
 DIRECTOR TRAIN 99
 DISK DIAL 162

APPLIES TO
PAGE 1 TO 372 ONLY**D**—(cont'd)

DISK INTEGRATORS 114 ff., 134, 301
Arma 362
Ball and roller type 117
In network 306
Setting procedure 134, 316
Wheel type 116
DIVIDER UNIT, ARMA 370
DOUBLE-SPEED SYNCHRO
RECEIVER 279, 288, 294
Setting procedure 297
DOUBLE-SPEED SYNCHRO
TRANSMITTER 279
Setting procedure 296
DOUBLE-THREAD SCREW 24
DRAG, MAGNETIC 232, 283, 323, 324, 340
DRIVE, INTERMITTENT
146, 150, 151, 164, 318
DRIVING FRICTIONS 159
DUMMY DIRECTOR 261

E

ELECTRICAL LOCK METHOD 272, 276
ELECTRICAL ZERO 272, 274
ELECTRICITY
Current, electrical 176, 185, 187
Electrical zero 272, 274
in a generator 186
in a motor 185
Magnetism and 169, 170, 186
Measures of 177
ELECTROMAGNETISM 180, 182
ELECTROMECHANICAL UNITS 37
Arma 364-371
Ford 169-297
ELECTRON FLOW 176
ELEVATION 55
Gun 303
Superelevation 54
EMPIRICAL FUNCTION 27
END GEARS ON DIFFERENTIAL 39
ENERGIZE, DEFINITION OF 35
ENERGY 177
EQUATION, ALGEBRAIC 30
ERROR, VELOCITY LAG 332
ERROR RECORDER 261
ESCAPEMENT MECHANISM 210
Regulator lever 216
EXTERNAL GEAR 23

F

FIELD, MAGNETIC 175, 179, 182, 265, 342
FINE, AND COARSE
Control 280, 289, 292
Dials 163, 279
FLAT CAM
Edge 52
Groove 47
FLUX 342
FOLLOW-UP CONTROL 218 ff.
Arma follow-up heads 364
Compensated type 234
Compensator 338
Contacts 221, 236
In network 313, 315, 316
Intermittent gearing 228
Magnetic damper 227, 334
Magnetic drag 232, 324
Oscillating type 236
Purpose of 218
Servo stator coils connected to 204
Synchronizing procedure 240
Velocity-lag type 232
FOLLOW-UP HEAD 364
Divider with 370
Integrator with 362
FOLLOWER, CAM 46, 49, 51, 56, 75, 89, 285
Radial type 49, 51
Sector type 51
Setting procedure 56
FORD MECHANISMS
Electromechanical 169-297
Mechanical 37-168
FORK, REGULATOR 214
FOUR-INCH INTEGRATOR 131
FRICTION 156
Driving 159
Holding 154, 156, 158, 166
Relief drive 154, 157, 166, 207, 215
Setting procedure 166
FUNCTIONS 27
Trigonometric 28
FUZE
Time computed by cam 55

G

GEARS 12, 17, 18
Bevel 22
End, differential 39

APPLIES TO
PAGES 1 TO 372 ONLY

External 23
Helical, differential 355
How to push 34
Idler 20
In intermittent drive 147
Intermittent 228, 366
Internal 23
Miter 22
Pinion 12
Planetary 149
Ratio 13, 23, 225
Reduction 206
Sector 23, 147, 290
Spider 40
Spiral 23
Spur 15, 22
Straight and rotary motion 24
Trains 20
Types 22
Used in setting 34
Variable, ratio 115
Vector 89, 97, 108, 311, 312
Worm 25
GENERATOR
 and motor, synchro 242
 Magnetism and electricity in 186
 Sizes and types 246, 270
 Synchro differential 254
GOVERNOR, TIME MOTOR 371
GUIDE ROLLERS 128, 134
GUN ELEVATION 303
GUN TRAIN 99

H
HAIR SPRING 214
HAND CRANKS 152 ff., 166
 Plunger 154
HANDLE FRICTIONS 156, 166
HANDLES 152, 154, 166
HANGERS 10, 286
HEADS, FOLLOW-UP 362, 364, 370
HEART CAM 287, 293
HELICAL GEAR DIFFERENTIAL 355
HOLDING FRICTIONS 154 ff., 166
HYPOTENUSE 28

RESTRICTED

I
IDLER GEAR 20
IMPULSE PIN 214
INCREMENT 124
INDICATOR, DIAL 34
INERTIA WEIGHT 338, 341
INTEGRATORS 114 ff., 120, 126, 130, 132
 Arma 362
 Component 136
 Setting procedure 142
 Disk 114, 301, 306
 Ball and roller type 117, 119, 134 ff.
 Setting procedure 134, 316
 Wheel type 116, 118
 Four-inch 131
 Guide rollers and telescopic arm on 128
 Other uses for 130
INTERMITTENT DRIVE 146, 151
 Cam 148
 Planetary gearing 149
 Setting procedure 164, 318
 Shock absorber 150
INTERMITTENT GEARING 228, 366
INTERNAL GEAR 23
INTERRUPTER 196, 200
INTERRUPTER CONTACTS, RECEIVER
 288, 292

J
JEWEL DIFFERENTIAL 45, 208, 211, 215
JOINT, UNIVERSAL 11

K
KEYWAY, ROTOR 272

L
LAG, VELOCITY
 Error 332, 338
 Follow-up 232
LEAD SCREW 78
LEADS, ELECTRICAL 204
LIMIT STOPS 144
 Setting procedure 168, 311, 312, 317
LINEAR MEASURE 26
LINEAR RACK AND PINION
 DIFFERENTIAL 350
LINEAR RACK AND SECTOR GEAR
 DIFFERENTIAL 352

APPLIES TO
PAGES 1 TO 372 ONLY

L-(cont'd)

LOCK 192

Electrical lock method 272, 276

Washer 10

LUG AND PLATE 10, 11

M

MAGNESITES 170

MAGNETIC DAMPER 227, 323, 334, 336

MAGNETIC DRAG 232, 283, 323, 324, 340

Construction of 327

Velocity lag error 332

MAGNETISM 169, 170 ff.

Electromagnetism 180

generates electricity 186

How it makes a motor turn 184, 186

Magnetic field 175, 179, 182, 265, 342

Magnetic flux 342

Magnets 171, 172, 174

MATHEMATICS, BASIC 26 ff.

MECHANICAL DAMPER, ARMA 369

MECHANICAL UNITS 37

Arma 350-363

Ford 37-168

MECHANICS, BASIC 10 ff.

MECHANISMS

Computing 37

In network 304, 308, 309

Non-computing 144

MITER GEAR 22

MOTOR

Generator and, synchros 242

Magnetic damper on 334

Magnetic drag on 324

Magnetism and electricity in 184

Servo 282, 323

Sizes and types 246, 271

Synchro differential 254, 260

Time, governor, Arma 371

MOTOR REGULATOR 208 ff.

Adjustment procedure 214

Timing the 216

MOUNTING PLATES 10

MULTIPLE SWITCH 195

MULTIPLIER 60 ff.

Computing types 72

Single-cam type 72

Setting procedure 82

Two-cam type 74

Setting procedure 84

In network 302, 306

Pin 61, 62, 317

Simple types 60

Rack type 66

Setting procedure 80

Screw type 61

Setting procedure 78, 316

Sector type 68

Setting procedure 76

N

NETWORK

A simplified 299

Complete 302, 308

Setting the 310

NON-COMPUTING MECHANISMS

37, 144

NUT, TRAVELING 145

O

OFFSET

Clamp 16

is a constant 27

Pin component solver 104

OHMS 177

Ohm's Law 178

OLDHAM COUPLING 11

OSCILLATING CAM 237

OSCILLATING FOLLOW-UP CONTROL

236

P

PALLET 210

PARALLAX COMPONENT SOLVER 99

PERMEABILITY 175

PI 31

PIN

Impulse 214

In component solver 89

In Time of Flight mechanism 199

In vector solver 107

Multiplier 61, 62, 73, 317

Offset 104

PINION 12, 207

Arma, differential 350

425
376

APPLIES TO PAGES 1 TO 372 ONLY

ALPHABETICAL INDEX

PIVOT ARM 61, 67
PLANETARY GEARING 149
PLATE
 Lug 10
 Mounting 10
 Stop 144
PLUNGER
 Handcrank 154
 In solenoid 188
POINT OF SYNCHRONISM 326, 330
POLARITY IN TRANSFORMER 266
POLES, MAGNETIC 171, 176, 181
POWER 177
PREDICTION MULTIPLIER 61, 78, 316
PUSH BUTTON SWITCH 154, 167, 194

R

RACES, BEARING 10
RACKS 34
 Arma, differential 350
 In component solvers 89
 In multipliers 60, 62, 66
 In vector solvers 107
RADIAL FOLLOWER, CAM 49, 51
RADIAN MEASUREMENT 26, 31
RANGE
 In network 301
 Kept by integrator 120
RANGE RATE COMPONENT 94, 96
RANGE KEEPER 115
RATE, LINEAR AND ANGULAR 26
RATIO, GEAR 13, 23, 225
RECEIVERS, SYNCHRO 245, 279, 282
 Bearing-mounted 286
 Cam 293
 Contacts 283, 284
 Double-speed 279, 288, 295
 Fine and coarse control 280, 289, 290, 292
 In network 304
 Setting procedure 297, 311, 312
 Single-speed 279, 283
 Using servo motors 282
RECIPROCAL
 Definition of 27
 Cam 48
RECORDER, ERROR 261
REDUCTION GEAR 206

REGULATOR FORK 214
REGULATOR LEVER 216
REGULATOR, MOTOR 208, 214, 216
RELIEF DRIVE, FRICTION
 154, 157, 166, 207, 215
RESISTOR 178
RESOLVERS, ARMA 358 ff.
 (See COMPONENT SOLVERS)
RESPONSE, SERVO 284
RIGHT TRIANGLES 28
RING DIAL 162
RINGS, SLIP 187, 285, 286
ROD, SETTING 35
ROLLER

 and-ball-type integrator 117, 119, 134 ff.
 Guide 128, 134
 on Arma follow-up heads 365, 367

ROTARY SWITCH 195
ROTOR 203, 245, 250, 266, 347
 controlled by magnetic drag 324
 Keyway 272
 Polarity in leads 267
 Voltage in leads 266
RUN-OUT, CAM 49

S

SCREW 24, 61, 68, 100
 Double-thread 24
 Lead 78
 Single-thread 24
SCREW-TYPE COMPONENT SOLVER
 100
SCREW-TYPE MULTIPLIER 61, 78
SECANT 29
SECTOR FOLLOWER, CAM 51
SECTOR GEAR 23
 Arma, differential 352
 Fine control 290
 In multipliers 68
SECTOR-TYPE MULTIPLIER 68, 76
SERVO
 Compensator on 338
 Contacts 204, 324, 328
 Friction relief 207
 Magnetic damper on 335
 Magnetic drag on 324
 Motors 202, 282, 323

S—(cont'd)

Reduction gear 206
 Relation to follow-up 218
 Response 284
 Synchro-servo combinations 282
 Theory 342

SETTING INFORMATION
 Basic 32
 Cams 58
 Component solvers 108
 Integrators 134, 142
 Intermittent drive 164
 Limit stop 168
 Multipliers 76
 Synchros 272
 The Network 310
 Transmitters and receivers 296

SETTING ROD 35

SHADOW STICK 34

SHAFT 10, 14
 Values 15
 Spider 39

SHOCK ABSORBER 150

SIGNAL
 Cam 237
 Mechanism, Time of Flight 196, 200
 Solenoid 188

SINE 28

SINGLE-CAM MULTIPLIER 72, 82

SINGLE-SPEED SYNCHRO
RECEIVER 278, 283
 Setting procedure 297

SINGLE-SPEED SYNCHRO
TRANSMITTER 278
 Setting procedure 296

SINGLE-THREAD SCREW 24

SLEEVE COUPLING 11, 14, 159

SLIDES 61, 62

SLIP RINGS 187, 285, 286

SOLENOID 181
 Clutch 190
 Lock 192
 Signals 188

SOLVERS
 Arma, resolvers 358
 Component 86
 Vector 106

SPIDER GEARS 40, 43, 45, 126, 147

SPIDER SHAFT 39

SPIRAL GEAR 23

SPOT CORRECTION 197

SPRINGS 11
 Coil 11
 Hair 214
 Motor regulator 216
 on contacts 328
 Take-up 161

SPUR GEAR 15, 22

SPUR-GEAR DIFFERENTIAL 45

SQUARE CAM 51, 58

STAFF AND WHEEL, BALANCE 214

STANDARD MOTOR METHOD 273 ff.
 How to test standard motor 277

STATOR 203, 244, 250, 293, 342, 346

STICK, SHADOW 34

STOP, LIMIT 144, 168, 311, 313, 317

STOP PLATE 144

SUPERELEVATION 54

SWITCH
 Multiple 195
 Push-button 194
 Rotary 195

SWITCH-BOLT 154, 167

SYNCHRONISM, POINT OF 282, 326, 330

SYNCHROS 242 ff.
 Bearing-mounted 286, 297
 Cam 293
 Contacts 292
 Control transformer 262
 Differential generator 254
 Differential motor 260
 Electrical operation 248
 Electrical zero 272, 274
 Fine and coarse controls 280, 289
 Generator and motor 242
 Receivers 282, 294
 Setting procedure 272, 296, 311, 312, 319
 Sizes and types 246, 270
 Synchro-servo combinations 282
 Transmitters 278

T

TAKE-UP SPRING 161

TANGENT 28
 Cam 50

APPLIES TO
PAGES 1 TO 372 ONLY

T

TARGET COMPONENT SOLVERS 96, 314, 315
 TARGET SPEED VECTOR 96
 TECHNICAL APPENDIX 323
 TELESCOPIC ARM 129
 THREE-DIMENSIONAL CAM 357
 TIME
 In Time of Flight mechanism 198, 200
 Integrator input 130
 Motor governor, Arma 371
 To motor regulator 209
 TIME OF FLIGHT
 Buzzer 196, 200
 Cam 53
 In network 306
 Signal mechanism 196, 200
 TORPEDO DATA COMPUTER, ARMA 349
 TORQUE 282
 TRAINS, GEAR 20
 TRANSFORMER, CONTROL 246, 249, 262, 271
 Voltage and polarity in leads 266
 TRANSMITTERS, SYNCHRO 242, 244
 Double-speed 279
 Fine and coarse control 280
 Setting procedure 296, 319
 Single-speed 278
 TRAVELING NUT 145
 TRIANGLE 28 ff., 86
 Formed by component solver 89
 Formed by multipliers 63
 Formed by vector solver 106
 Hypotenuse of 28
 Right 28
 TRIG CAM 50
 TRIGONOMETRIC FUNCTIONS 28
 TWO-CAM MULTIPLIER 74, 84

U

UNIVERSAL JOINT 11

V

VARIABLE 27
 VARIABLE GEAR RATIO 115
 VECTOR GEAR 89, 97, 108, 311, 312
 VECTOR SOLVER 106
 VECTORS 30, 86, 91, 92, 96, 314
 Mechanism to solve for 106
 VELOCITY LAG ERROR 332, 338
 VELOCITY-LAG FOLLOW-UP 232
 VERNIER CLAMP 160, 316
 VOLTAGE IN TRANSFORMER 266
 VOLTS 177, 266

W

WATTS 177
 WEDGE 35
 WEIGHT, INERTIA 338, 341
 WHEEL AND STAFF, BALANCE 214
 WHEEL-TYPE INTEGRATOR 116, 118, 134
 WORK 177
 WORM GEAR AND WHEEL 25, 160, 286

Z

ZERO, ELECTRICAL 272, 274
 ZERO POSITION 33, 73

DISTRIBUTION

Requests for additional copies of OP 1140 should be submitted on NAVORD FORM 1, ORDNANCE PUBLICATIONS AND FORMS REQUISITION, to the nearest Ordnance Publications Distribution Center: Navy Yard, Wash. 25, D. C.; Adak, Alaska; Mare Island, Calif.; Guam Island, Marianas; Pearl Harbor, T. H.; Manus Island, Admiralty Islands. Distribution Center mailing addresses should be obtained from List 10 nn of the Standard Navy Distribution List, or from the reverse side of NAVORD FORM 1.

DISTRIBUTION:

Standard Navy Distribution List No. 27 (C) and 30 (R)
2 copies unless otherwise noted.

1.a, 1; 2.e, f; 3.c*, h-k, m*, w*, dd*, ff*, ii*, pp*; 3. (5 copies), a, d; 4.*; 5.b; 6.a; 7.f, h; 7. (10 copies), a; 8.n (SPECIAL LIST K*, O*, AA*); 10.mm; 10. (25 copies), nn; 11.a (BuShips); 12.a, b (Revision 1); 14.a, q.

*Applicable Addressees

NOTES: